

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/608,671	06/27/2003	Michael J. Pugia	MSA-3452	5201	
7590 06/06/2005			EXAMINER		
Elizabeth A. Levy			SINES, BRIAN J		
Bayer HealthCa	re LLC				
Two Edgewater	Drive	ART UNIT	PAPER NUMBER		
Norwood, MA 02060-4637			1743		
			DATE MALE CD. 06/06/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

					\		
Office Action Summary		Application	No.	Applicant(s)			
		10/608,671		PUGIA ET AL.			
		Examiner		Art Unit			
		Brian J. Sine		1743			
Period fo	The MAILING DATE of this communication a or Reply	ppears on the c	over sheet with the c	orrespondence addr	ess		
THE - Exter after - If the - If NO - Failu Any I	ORTENED STATUTORY PERIOD FOR REP MAILING DATE OF THIS COMMUNICATION nsions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication, period for reply specified above is less than thirty (30) days, a represent of the period for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by staturely received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	1.136(a). In no event, eply within the statutor or will apply and will equite, cause the applica	however, may a reply be timery minimum of thirty (30) day xpire SIX (6) MONTHS from tion to become ABANDONE	nely filed s will be considered timely. the mailing date of this comi	nunication.		
Status							
1)🖾	Responsive to communication(s) filed on 10	March 2005.					
·	☐ This action is FINAL . 2b)⊠ This action is non-final.						
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
5)□ 6)⊠ 7)□	Claim(s) <u>1-10</u> is/are pending in the application 4a) Of the above claim(s) is/are withdred Claim(s) is/are allowed. Claim(s) <u>1-10</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and	rawn from cons					
Applicati	on Papers						
10)⊠	The specification is objected to by the Examir The drawing(s) filed on 10 March 2005 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the I	: a)⊠ accepte ne drawing(s) be ection is required	held in abeyance. See if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR	` '		
Priority u	ınder 35 U.S.C. § 119						
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents. 2. Certified copies of the priority documents. 3. Copies of the certified copies of the priority application from the International Bure see the attached detailed Office action for a list	nts have been ints have been iority documented	received. received in Applications to have been received 17.2(a)).	on No ed in this National St	age		
2) 🔲 Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4)	Interview Summary Paper No(s)/Mail Da	ite			
3) 🔲 Inforr	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/0 r No(s)/Mail Date	-,	Notice of Informal P Other:	atent Application (PTO-1	52)		

Application/Control Number: 10/608,671 Page 2

Art Unit: 1743

DETAILED ACTION


Claim Rejections - 35 USC § 102


The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:


A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 1 – 3 and 8 are rejected under 35 U.S.C. 102(b) as being anticipated by Columbus (U.S. Pat. No. 4,233,029). Regarding claims 1 and 2, Columbus '029 teaches a microfluidic apparatus (10) comprising: an inlet port (aperture 26); a capillary passageway (e.g., the sidewalls of the inlet port 26 extending through top member 12) in fluid communication with the inlet port (26); an inlet chamber (e.g., the spacing between interior surfaces 16 & 18) in fluid communication with the capillary passageway, wherein the inlet chamber comprises means (grooves 42 & 44) for uniformly distributing sample fluid across the chamber and displacing air from the chamber; and at least one vent passageway (e.g., the space between members 12 & 14 left exposed at either edge 20 or 22) (see col. 1, line 1 – col. 6, line 60; figures 1 – 3). As shown in figure 10, Columbus '029 anticipates an enclosed passageway. Walls 124 & 144 enclose passageway defined by 44b (see col. 11, lines 1 – 16; fig. 10).








Regarding claim 3, as shown in figure 7a, Columbus '029 further teaches the incorporation of weir structures (truncated ridges 46) within the apparatus (see col. 8, lines 1 – 51).

Art Unit: 1743




Regarding claim 8, the recitation that a blood anti-coagulant is deposited in the inlet chamber is considered a process or intended use limitation, which does not further delineate the structure of the claimed apparatus from that of the prior art. Since these claims are drawn to an apparatus statutory class of invention, it is the structural limitations of the apparatus, as recited in the claims, which are considered in determining the patentability of the apparatus itself. Process or intended use limitations are accorded no patentable weight to an apparatus. Process limitations do not add patentablility to a structure, which is not distinguished from the prior art. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. See In re Casey, 152 USPQ 235 (CCPA 1967); and In re Otto, 136 USPQ 458, 459 (CCPA 1963). The Courts have held that it is well settled that the recitation of a new intended use, for an old product, does not make a claim to that old product patentable. See In re Schreiber, 128 F.3d 1473, 1477, 44 USPQ2d 1429, 1431 (Fed. Cir. 1997). The Courts have held that the manner of operating an apparatus does not differentiate an apparatus claim from the

Art Unit: 1743


prior art, if the prior art apparatus teaches all of the structural limitations of the claim. See *Ex Parte Masham*, 2 USPQ2d 1647 (BPAI 1987). Furthermore, the Courts have held that apparatus claims must be structurally distinguishable from the prior art in terms of structure, not function. See *In re Danley*, 120 USPQ 528, 531 (CCPA 1959); and *Hewlett-Packard Co. V. Bausch and Lomb*, *Inc.*, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990) (see MPEP § 2114).

Page 7

2. Claims 1 – 3 and 8 – 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Columbus (U.S. Pat. No. 4,618,476). Regarding claims 1 and 3, as shown in figure 16, Columbus '476 teaches a microfluidic apparatus (multiple test element 400) comprising: an inlet port (inlet aperture 410); a capillary passageway (liquid delivery capillary zones 420 & 430) in fluid communication with the inlet port (410); an inlet chamber (capillary transport zone 30g) in fluid communication with the capillary passageway (420 & 430), wherein the inlet chamber comprises means (e.g., rib structures 40g", which are structurally equivalent to a weir structure) for uniformly distributing sample fluid across the chamber and displacing air from the chamber; and at least one vent passageway (vent aperture 480) (see col. 7, lines 15 – 64; figure 16). Regarding claim 2, Columbus '476 teach the incorporation of groove or slot structures (142g') within the apparatus. Columbus '476 anticipates an enclosed passageway (e.g., enclosed transport zone 30) via the placement of cover top member 16 and bottom member 18 (see col. 3, lines 25 – 50; figures 1, 2 & 5).



Art Unit: 1743



Regarding claim 9, Columbus '476 teaches the incorporation of an overflow cavity or chamber (470) within the apparatus.

Regarding claim 8, the recitation that a blood anti-coagulant is deposited in the inlet chamber is considered a process or intended use limitation, which does not further delineate the structure of the claimed apparatus from that of the prior art. In addition, with respect to claim

10, the recitation that the overflow chamber contains an indicator, such as an indicator reagent, as disclosed by the applicants specification, is also considered a process or intended use limitation. Since these claims are drawn to an apparatus statutory class of invention, it is the structural limitations of the apparatus, as recited in the claims, which are considered in determining the patentability of the apparatus itself. Process or intended use limitations are accorded no patentable weight to an apparatus. Process limitations do not add patentablility to a structure, which is not distinguished from the prior art. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. See In re Casey, 152 USPQ 235 (CCPA 1967); and In re Otto, 136 USPQ 458, 459 (CCPA 1963). The Courts have held that it is well settled that the recitation of a new intended use, for an old product, does not make a claim to that old product patentable. See In re Schreiber, 128 F.3d 1473, 1477, 44 USPQ2d 1429, 1431 (Fed. Cir. 1997). The Courts have held that the manner of operating an apparatus does not differentiate an apparatus claim from the prior art, if the prior art apparatus teaches all of the structural limitations of the claim. See Ex Parte Masham, 2 USPO2d 1647 (BPAI 1987). Furthermore, the Courts have held that apparatus claims must be structurally distinguishable from the prior art in terms of structure, not function. See *In re Danley*, 120 USPO 528, 531 (CCPA 1959); and Hewlett-Packard Co. V. Bausch and Lomb, Inc., 15 USPQ2d 1525, 1528 (Fed. Cir. 1990) (see MPEP § 2114).


Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 1. Claims 4 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Columbus '029 in view of Peters (U.S. Pat. No. 6,296,126 B1). Regarding claim 4, Columbus '029 is silent to the specific teaching of incorporating wedge-shaped cut-out structures with the microfluidic apparatus. As shown in figure 3b, Peters does teach the incorporation of wedge-shaped cut-out structures (columnar projection 9 having wedge-shaped cut-outs 1) within a microfluidic apparatus for facilitating effective fluid control within a microfluidic device (see col. 1, line 10 col. 6, line 67; figures 1a, 3b & 4).




As evidenced by Peters, a person of ordinary skill in the art would have recognized the suitability of incorporating the use of wedge-shaped cut-out structures within a microfluidic apparatus for the intended purpose of facilitating effective fluid control (see MPEP § 2144.07). Consequently, a person of ordinary skill in the art would accordingly have had a reasonable expectation of success of incorporating the use of these wedge-shaped cut-out structures within a microfluidic apparatus for facilitating effective fluid control. The Courts have held that the prior art can be modified or combined to reject claims as *prima facie* obvious as long as there is a reasonable expectation of success. See *In re Merck & Co., Inc.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986) (see MPEP § 2143.02). Therefore, it would have been obvious to a person of ordinary skill in the art to incorporate the use of wedge-shaped cut-out structures, as taught by Peters, with the microfluidic apparatus disclosed by Columbus '029 in order to provide an effective for effective sample fluid control within the microfluidic apparatus.

Regarding claims 5 and 6, as shown in figure 3b, these cylindrical or columnar projections (9) comprise essentially post structures, which extend from the base-plate (8), having wedge-shaped cut-outs (1) (see col. 5, lines 1-15).

2. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Columbus '029 in view of Bedingham et al. (U.S. Pat. No. 6,734,401 B2). Columbus '029 is silent to the specific teaching of incorporating an inlet port that is tapered to engage the corresponding shape of a pipette tip for depositing a sample fluid into the apparatus. Bedingham et al. do teach the incorporation of an inlet port (844') that is tapered to facilitate engagement with the corresponding shape of a pipette probe tip (849') for permitting the introduction of a sample fluid into the disclosed apparatus (see col. 32, lines 19 – 61; figure 19D).

Art Unit: 1743



Hence, as evidenced by Bedingham et al., a person of ordinary skill in the art would have recognized the suitability of incorporating the use of a tapered inlet port with a microfluidic apparatus for the intended purpose of facilitating effective sample fluid introduction into the microfluidic apparatus (see MPEP § 2144.07). Furthermore, in view of the teachings of Bedingham et al., a person of ordinary skill in the art would accordingly have had a reasonable expectation of success of incorporating a tapered inlet with a microfluidic apparatus for facilitating effective fluid control. The Courts have held that the prior art can be modified or combined to reject claims as *prima facie* obvious as long as there is a reasonable expectation of

success. See *In re Merck & Co., Inc.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986) (see MPEP § 2143.02). Therefore, it would have been obvious to a person of ordinary skill in the art to incorporate the use of a tapered inlet port, as taught by Bedingham et al., with the microfluidic apparatus of Columbus '029, for facilitating effective sample fluid transfer and control.

Response to Arguments

Applicant's arguments filed 3/10/2005 have been fully considered, but they are not persuasive.

Regarding claim 1, both of the disclosed devices taught by Columbus '029 and Columbus '476 teach all of the positively recited structure of the claimed apparatus. The Courts have held that where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. See *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433 (CCPA 1977). The Courts have held that apparatus claims must be structurally distinguishable from the prior art in terms of structure, not function. See *In re Danley*, 120 USPQ 528, 531 (CCPA 1959); and *Hewlett-Packard Co. V. Bausch and Lomb, Inc.*, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990). The Courts have held that the manner of operating an apparatus does not differentiate an apparatus claim from the prior art, if the prior art apparatus teaches all of the structural limitations of the claim. See *Ex Parte Masham*, 2 USPQ2d 1647 (BPAI 1987) (see MPEP § 2114). As shown in figure 10, Columbus '029 anticipates an enclosed passageway. Walls 124 & 144 enclose passageway defined by 44b (see col. 11, lines 1 – 16; fig. 10). Columbus '476 also anticipates an enclosed passageway (e.g., enclosed transport

Brian Simin

zone 30) via the placement of cover top member 16 and bottom member 18 (see col. 3, lines 25 – 50; figures 1, 2 & 5).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines. Ph.D. whose telephone number is (571) 272-1263. The examiner can normally be reached on Monday - Friday (11 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).